

18.58

Rush
Ship Friday
29

Work Order ID 149747

149747

July 28, 2016 8:38:03 AM

Item ID: D2199-1 Accept *N900040100* Setup Start *NS1*

Revision ID:

Item Name: Struts, 19" Stop *NS2*

Start Date: 7/28/2016 Start Qty: 4.00 *4*

Required Date: 7/29/2016 Req'd Qty: 4.00 *4*

Reference:

Cust Item ID:

Customer:

Approvals: Process Plan: STA Date: 7/26/16 Tooling: Date:

QC: Date: SPC (Y/N): Date:

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2199	F

100	NC BRAKE	0.00							
100									
Brake NC	Memo	0.12							
Brake NC	Punch per Dwg. D2199 and Spec Control Dwg D2638								
	Deburr								

4 FF JUL 28 2016

120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.01							
Quality Control									

(4) DAS 38 9-89 JUL 28 2016

130	White Gloss(Ref:4.3.5.2) per OSI005 4.3-Steel	0.00							
130									
Powdercoat	Memo	0.01							
Powder Coating	START TIME: 11:30								
	OVEN TEMPERATURE: 460°								
	FINISH TIME: 12:00								

M 134798 H 16-07-2016 34 9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
						QC / QA Coordinator Approval			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Picklist Print

July 28, 2016 8:38:14 AM

Work Order ID: 149747

149747

Parent Item: D2199-1

D2199-1

Parent Item Name: Struts, 19"

Start Date: 7/28/2016

Required Date: 7/29/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP B02.06.10Added finish NG/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304TR0.750W.049		Purchased		No		100	f	204.7368	1.55	6.526316			

M304TR0 750W 049

JUL 28 2016

304 RD Tube .750 x .049W

Location

Loc Qty

Loc Code

GA002

204.736839

M134306

2.75

M134604

43.420524

M134824

7.618947

M135093

33.68421


M135242

60

M135325

57.263158

6.526316



PART NUMBER	A	B	C	D	WEIGHT (LBS)	FINISH
D2199-1	18.80	17.50	Ø0.257	Ø0.257	0.56	NOTE 2
D2199-3	5.80	5.00	Ø0.257	Ø0.257	0.17	NOTE 2
D2199-5	22.64	21.84	Ø0.257	Ø0.316	0.69	NOTE 2
D2199-7	14.74	13.94	Ø0.257	Ø0.257	0.45	NOTE 2
D2199-9	16.52	15.72	Ø0.257	Ø0.257	0.50	NOTE 2
D2199-11	23.60	22.80	Ø0.257	Ø0.316	0.72	NOTE 2
D2199-13	15.96	15.16	Ø0.257	Ø0.257	0.49	NOTE 2
D2199-15	17.57	16.77	Ø0.257	Ø0.257	0.54	NOTE 2
D2199-17	28.05	27.25	Ø0.257	Ø0.316	0.86	NOTE 2
D2199-19	18.90	18.10	Ø0.257	Ø0.257	0.58	NOTE 2
D2199-21	10.80	10.00	Ø0.257	Ø0.257	0.33	NOTE 2
D2199-23	26.18	25.38	Ø0.257	Ø0.316	0.81	NOTE 2
D2199-25	19.93	19.13	Ø0.257	Ø0.257	0.61	NOTE 2
D2199-27	27.34	26.54	Ø0.257	Ø0.316	0.84	NOTE 2
D2199-29	21.11	20.31	Ø0.257	Ø0.257	0.65	NOTE 2
D2199-31	15.55	14.75	Ø0.257	Ø0.257	0.45	NOTE 3

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL ROUND TUBING Ø0.750 X 0.049 WALL PER ASTM A213 OR ASME SA213 OR ASTM A269 REF DART SPEC. M304TR0.750W0.049
 - 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
 - 3) FINISH: POWDER COAT GREY SANDETEX (4.3.5.6) PER DART QSI 005 4.3
 - 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D2199-XX" AND B/N BXXXXXX PER QSI 044, 6.5.
 - 8) WEIGHT: PER CHART
 - 9) MAKE PER TEMPLATE DT2199-XX WHERE XX IS THE RESPECTIVE DASH NUMBER.

SA 149747
7/28/10

RELEASED

2015 FEB 04

ECN 15-522 915-522

F	INCORPORATED E1. REFORMATTED AND REDRAWN. ADDED -31. ADDED GREY SANDETEX FINISH.	AJS	14.09.26
E	ADDED -23 AND -25 PER TSR A585M. ADDED TEMPLATE & SPEC CTRL. DWG REDRAWN IN CAD	KE	98.04.28
D	ADDED -21	N/A	N/A
C	ADDED -17 AND -19	N/A	N/A
B	ADDED -11, -13 AND -15	N/A	N/A
A	NEW ISSUE	JB	1993
REV.	DESCRIPTION	BY	DATE
DESIGN	JB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	DD	D2199	SHEET 1 OF 1
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	STRUT DETAILS	NTS
DATE	14.09.26	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

